

United States Patent and Trademark Office

11.V

UNITED STATES DEPARTMENT OF COMMERCUNITED STATES DEPARTMENT OF COMMERCUNITED STATES Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

	I I			
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/776,718	02/11/2004	Gil-Yong Park	5000-1-513 2825	
33942 CHA & REITE	7590 10/03/2007 CR LLC	EXAMINER		
210 ROUTE 4 EAST STE 103 PARAMUS, NJ 07652			TAYONG, HELENE E	
PARAMUS, N	J U / 0.52		ART UNIT PAPER NUMBER	
			2611	/ 1/10/10/10
	·			
			MAIL DATE	DELIVERY MODE
			10/03/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)				
		10/776,718	PARK ET AL.				
•	Office Action Summary	Examiner	Art Unit				
		Helene Tayong	2611				
<i>ד. ד.</i> Period for R	he MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondence address				
	• •	VIC CET TO EVOIDE A MONITH	e) on Thinty (20) DAYS				
WHICHE - Extension after SIX - If NO peri - Failure to Any reply	TENED STATUTORY PERIOD FOR REPLY VER IS LONGER, FROM THE MAILING DASS of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. Od for reply is specified above, the maximum statutory period we reply within the set or extended period for reply will, by statute, received by the Office later than three months after the mailing tent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	J. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)⊠ Re	sponsive to communication(s) filed on 19 Ju	ily 2007.					
2a)⊠ Th	This action is FINAL. 2b) This action is non-final.						
3) <u>□</u> Sir	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition	of Claims						
4)⊠ Claim(s) <u>1-6</u> is/are pending in the application.							
4 a)	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
·	6)⊠ Claim(s) <u>1-6</u> is/are rejected.						
-	aim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Application	Papers						
9)∐ The	e specification is objected to by the Examine	r.					
10)⊠ The drawing(s) filed on <u>11 February 2004</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.							
•	plicant may not request that any objection to the	- ' '					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority und	er 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)□ All b)□ Some * c)□ None of:							
1.[1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No							
3.[3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
366	the attached detailed Office action for a list	or the certified copies not receive	su.				
Attachment(s)		, .	(77.5 44.6)				
	References Cited (PTO-892) Draftsperson's Patent Drawing Review (PTO-948)	4)					
3) Informati	on Disclosure Statement(s) (PTO/SB/08) b(s)/Mail Date	5) Notice of Informal F 6) Other:	atent Application				

DETAILED ACTION

1. This office action is in response to the amendment filed on 7/19/07.

Claims 1- 6 are presently pending. Claim 1 has been amended to recite that the clipper clips the output signal lower than a specific level (preset voltage Vcut); support is found in the specification at page 6, lines i8-20. Claim 6 has been amended in accordance with the Examiner's suggestion.

Applicant respectfully submits the amendment to claim 6 overcomes the ground of objection cited in the Office Action. Applicant respectfully requests acknowledgement that the objection has been overcome.

Claims 1-3 stand rejected under 35 U.S.C § 102(b) as allegedly being anticipated by Masashi et al. (U.S. 5,574,714) ("Masashi"). Claims 4-6 stand rejected under 35 U.S.C.§ 103(a) as allegedly being obvious over Masashi in view of Doh et al. (U.S. 6,9l 1,644 B2) ("Doh"). Claims 1-6 are pending in this application and have been considered below.

Response to Arguments

2. Applicants arguments regarding the rejection of claims 1-3 under 35 U.S.C § 102(b) as allegedly being anticipated by Masashi et al. (U.S. 5,574,714) and claims 4-6 stand rejected trader 35 U.S.C.§ 103(a) as allegedly being obvious over Masashi in view of Doh et al. (U.S. 6,9I 1,644 B2) have been fully considered but they are not persuasive. The examiner thoroughly reviewed Applicant's arguments but firmly believes that the cited reference reasonably and properly meets the claimed limitation as rejected.

Application/Control Number: 10/776,718

Art Unit: 2611

(1) Applicant's arguments: "the bottom value comparing circuit.15 in Masashi does not clip the signal and only use a signal level higher than Vcut for generating an AGC adjustment control signal, as does the clipper circuit in the presently claimed invention".

Page 3

The examiner's response: In col. 3, lines lines 14-21 and 32-39, Masshi discloses the first limitation wherein said clipper clips the output signal of the variable gain amplifier when the output signal is higher than or equal to said present signal Vcut In col. 3, lines 40-47, Masshi discloses the second (amended) limitation wherein said clipper clips the output signal of the variable gain amplifier when the output signal is lower than said present signal Vcut when the output signal of the clipper is lower than the signal Vcut. One of ordinary skill in the art would have considered "the level shift circuit, 11", of Masshi that does some adjustment (col. 3, lines 28-31) so that the EFM signal becomes equal to the reference value as a form of clipping.

Applicants are reminder that the Examiner is entitled to give the broadest reasonable interpretation to the language of the claim. So the Examiner considers "clipping output signals by a clipper" as "the peak value detector that detects the peak value of the output signal of the level shit circuit 11 as disclosed by Masshi in fig. 3" and "the bottom value detector" within the broad meaning of the term. The examiner is not limited to Applicant's definition, which is not specifically set fourth in the claims. In retanaka et al., 193 USPQ 139, (CCPA) 1977.

Application/Control Number: 10/776,718 Page 4

Art Unit: 2611

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being anticipated by Masashi et al. (5574714)

As shown in figure 3 and 4,Masashi et al. discloses an automatic gain control (AGC) apparatus having a short settling time in a burst mode optical receiver, comprising:

(1) with regards to claim 1;

a variable gain amplifier(10) for variably amplifying an input signal according to an AGC adjustment control signal (col. 2, lines 62-63);

a clipper(15) coupled to an output terminal of the variable gain amplifier for comparing an output signal of the variable gain amplifier with a preset signal V_{cut} and for outputting a signal difference when the output signal of the variable gain amplifier is higher than or equal to the preset signal V_{cut} in amplitude (col. 3 lines 23-25);

an exponential amplifier (11 and 16) for exponentially amplifying an output signal of the clipper (col.3, lines 22-31).; and

a peak holder (13) for detecting a peak value from an output signal of the exponential amplifier(16) and for generating the AGC adjustment control signal for controlling a gain of the variable gain amplifier (col.3,lines 22-31).

(2) with regards to claim 2;

Application/Control Number: 10/776,718 Page 5

Art Unit: 2611

a voltage controlled variable resistor (VCVR) coupled in parallel to the peak holder for creating a current leakage path and for preventing over current from flowing in the peak holder when the output signal of the exponential amplifier is larger than or equal to a preset threshold (col.3, lines 49-58).

(3) with regards to claim 3;

a peak value detector (12) for converting a DC (Direct Current) level of an output signal of the exponential amplifier so that the DC level of the output signal of the exponential amplifier is matched to a DC level of the peak holder (col. 3, lines 11-21); and

a peak value keeper for keeping a peak value of the output signal of the exponential amplifier and for generating the AGC adjustment control signal to control a gain of the variable gain amplifier from the kept peak value (col. 3, lines 32-39).

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being obvious over Masashi et al. (5574714) in view of Doh et al (US6911644B2).

The applied reference has a common Assignee with the instant application.

Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art

Page 6

only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome by: (1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not an invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR 1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer in accordance with 37 CFR 1.321(c). This rejection might also be overcome by showing that the reference is disqualified under 35 U.S.C. 103(c) as prior art in a rejection under 35 U.S.C. 103(a). See MPEP § 706.02(l)(1) and § 706.02(l)(2).

(1) with regards to claim 4;

Masashi et al. discloses all of the subject matter as described above except for specifically teaching wherein the peak value keeper initializes the kept peak value according to an initialization signal.

However, Masashi et al. in the same field of endeavor, teaches wherein the peak value keeper initializes the kept peak value according to an initialization signal (col. 5, lines 3-11).

In the burst-mode optical receiver, a pre-amplifier together with optical detector form a front-end of the receiver such that the pre-amplifier can convert an input optical signal to an electrical signal and then amplify the signal with minimum level noise. Pre-

Page 7

Art Unit: 2611

amplification affects the overall receiving sensitivity of the optical receiver. It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize peak value keeper of Doh et al's in the apparatus of Masashi et al to reduce the effective gain for a larger input signal. The motivation to utilize Doh et al's peak value keeper in the apparatus of Masashi et al was to improve the overall load characteristic.

(2) with regards to claim 5;

Masashi et al. discloses all of the subject matter as described above except for specifically teaching wherein, upon receiving a signal that there is no more data input to the AGC apparatus, the initialization signal is delivered to initialize the peak value keeper in order to detect a new peak value when the next data is received.

However, Masashi et al. in the same field of endeavor, teaches wherein, upon receiving a signal that there is no more data input to the AGC apparatus, the initialization signal is delivered to initialize the peak value keeper in order to detect a new peak value when the next data is received (col.5, lines 21-39).

In the burst-mode optical receiver, a pre-amplifier together with optical detector form a front-end of the receiver such that the pre-amplifier can convert an input optical signal to an electrical signal and then amplify the signal with minimum level noise. Pre-amplification affects the overall receiving sensitivity of the optical receiver. It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the initialization signal that is delivered to initialize the peak value keeper of Doh et al's in the apparatus of Masashi et al to reduce the effective gain for a larger input

Art Unit: 2611

signal. The motivation to utilize Doh et al's initialization signal in the apparatus of Masashi et al was to improve the overall load characteristic.

(3) with regards to claim 6;

Masashi et al. discloses all of the subject matter as described above except for specifically teaching wherein a first transistor having a base receiving an output signal of the variable gain amplifier, a collector connected in common to a supply voltage Vcc and one end of a first resistor, and an emitter connected in common to an emitter of a second transistor and one end of a second resistor; a second transistor having a base receiving a specific voltage value corresponding to a preset clipping value, a collector connected to another end of the first resistor, and an emitter connected in common to the emitter of the first transistor and one end of the second resistor; the first resistor having one end connected in common to the collector of the first transistor and the supply voltage Vcc, and another end connected to the collector of the second transistor; and the second resistor having one end connected in common to the emitter of the first transistor and the emitter of the second transistor, and another end grounded.

However, Doh et al. in the same field of endeavor, teaches a first transistor having a base receiving an output signal of the variable gain amplifier, a collector connected in common to a supply voltage Vcc and one end of a first resistor, and an emitter connected in common to an emitter of a second transistor and one end of a second resistor (col. 5, lines 3-11); a second transistor having a base receiving a specific voltage value corresponding to a preset clipping value, a collector connected to another end of the first resistor, and an emitter connected in common to the emitter of

Application/Control Nul

Art Unit: 2611

the first transistor and one end of the second resistor (col.4, lines 18-38); the first resistor having one end connected in common to the collector of the first transistor and the supply voltage Vcc, and another end connected to the collector of the second transistor (fig.6, col.5, lines 16-39); and the second resistor having one end connected in common to the emitter of the first transistor and the emitter of the second transistor, and another end grounded (fig.6, col.5, lines 16-39).

Digital data output from computers typical of information processing equipment has a bursty characteristic, i.e. data is output intensively for a certain period of time and no data is output for the remaining period of time. It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the clipper and exponential amplifier of Doh et al in order to provide an optical receiver circuit which does not deteriorate in a burst data receiving state. The motivation to utilize Doh et al's clipper and exponential amplifier in the apparatus of Masashi et al was to provide an optical receiver circuit capable of receiving burst data with high stability.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the

Application/Control Number: 10/776,718

Art Unit: 2611

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

8. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Helene Tayong whose telephone number is 571-270-

1675. The examiner can normally be reached on monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Lui Shuwang can be reached on 571-272-3036. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Helene Tayong

9/29/07

Showing ti

Page 10

SHUWANG LIU
SUPERVISORY PATENT EXAMINER